

| | Esiste una struttura di neonatologia dedicata o una pediatria con personale dedicato alla neonatologia? | | | | | | TOTALE |
|----------|---|-----|-----|------|----|------|--------|
| | N.D. | | Si | | No | | |
| | N | % | N | % | N | % | N |
| CLUSTER | | | | | | | |
| A1 | 3 | 3.5 | 46 | 53.5 | 37 | 43 | 86 |
| A2 | 4 | 3.3 | 92 | 75.4 | 26 | 21.3 | 122 |
| A3 | . | . | 40 | 97.6 | 1 | 2.4 | 41 |
| B | 1 | 1.4 | 71 | 95.9 | 2 | 2.7 | 74 |
| C | . | . | 18 | 100 | . | . | 18 |
| Outliers | . | . | 3 | 100 | . | . | 3 |
| TOTALE | 8 | 2.3 | 270 | 78.5 | 66 | 19.2 | 344 |

| | E' disponibile lo Sten? | | | | | | TOTALE |
|----------|-------------------------|-----|-----|------|-----|------|--------|
| | N.D. | | Si | | No | | |
| | N | % | N | % | N | % | N |
| CLUSTER | | | | | | | |
| A1 | 2 | 2.3 | 46 | 53.5 | 38 | 44.2 | 86 |
| A2 | 5 | 4.1 | 75 | 61.5 | 42 | 34.4 | 122 |
| A3 | 1 | 2.4 | 32 | 78 | 8 | 19.5 | 41 |
| B | 1 | 1.4 | 56 | 75.7 | 17 | 23 | 74 |
| C | . | . | 15 | 83.3 | 3 | 16.7 | 18 |
| Outliers | . | . | 3 | 100 | . | . | 3 |
| TOTALE | 9 | 2.6 | 227 | 66 | 108 | 31.4 | 344 |

| | E' disponibile lo Stam? | | | | | | TOTALE |
|----------|-------------------------|-----|-----|------|-----|------|--------|
| | N.D. | | Si | | No | | |
| | N | % | N | % | N | % | N |
| CLUSTER | | | | | | | |
| A1 | 2 | 2.3 | 40 | 46.5 | 44 | 51.2 | 86 |
| A2 | 7 | 5.7 | 67 | 54.9 | 48 | 39.3 | 122 |
| A3 | 1 | 2.4 | 28 | 68.3 | 12 | 29.3 | 41 |
| B | 1 | 1.4 | 50 | 67.6 | 23 | 31.1 | 74 |
| C | . | . | 10 | 55.6 | 8 | 44.4 | 18 |
| Outliers | . | . | 2 | 66.7 | 1 | 33.3 | 3 |
| TOTALE | 11 | 3.2 | 197 | 57.3 | 136 | 39.5 | 344 |

| CLUSTER | E' disponibile la pubblicazione dei dati della struttura? | | | | | | TOTALE |
|----------|---|-----|-----|------|----|------|--------|
| | N.D. | | Si | | No | | |
| | N | % | N | % | N | % | N |
| A1 | 2 | 2.3 | 55 | 64 | 29 | 33.7 | 86 |
| A2 | 4 | 3.3 | 87 | 71.3 | 31 | 25.4 | 122 |
| A3 | . | . | 31 | 75.6 | 10 | 24.4 | 41 |
| B | 2 | 2.7 | 60 | 81.1 | 12 | 16.2 | 74 |
| C | . | . | 18 | 100 | . | . | 18 |
| Outliers | . | . | 3 | 100 | . | . | 3 |
| TOTALE | 8 | 2.3 | 254 | 73.8 | 82 | 23.8 | 344 |

| CLUSTER | E' attivato un corso di preparazione alla nascita? | | | | | | TOTALE |
|----------|--|-----|-----|------|----|------|--------|
| | N.D. | | Si | | No | | |
| | N | % | N | % | N | % | N |
| A1 | 3 | 3.5 | 54 | 62.8 | 29 | 33.7 | 86 |
| A2 | . | . | 105 | 86.1 | 17 | 13.9 | 122 |
| A3 | . | . | 36 | 87.8 | 5 | 12.2 | 41 |
| B | 1 | 1.4 | 70 | 94.6 | 3 | 4.1 | 74 |
| C | . | . | 16 | 88.9 | 2 | 11.1 | 18 |
| Outliers | . | . | 3 | 100 | . | . | 3 |
| TOTALE | 4 | 1.2 | 284 | 82.6 | 56 | 16.3 | 344 |

| CLUSTER | Età media delle madri | | | | | | | | |
|----------|-----------------------|-----|------|-----|------|------|--------|------|-----|
| | NMiss | N | Mean | Std | Min | P25 | Median | P75 | Max |
| A1 | 8 | 78 | 30.8 | 2.1 | 25 | 30 | 30.9 | 32 | 37 |
| A2 | 10 | 112 | 31.2 | 1.5 | 26 | 30.1 | 31.2 | 32 | 35 |
| A3 | 2 | 39 | 31.6 | 1.7 | 27.9 | 30.3 | 31.7 | 32 | 37 |
| B | 12 | 62 | 31.8 | 2.1 | 24 | 31.2 | 32 | 33 | 36 |
| C | 2 | 16 | 32.4 | 1.1 | 30.5 | 31.8 | 32.6 | 33 | 34 |
| Outliers | 0 | 3 | 33.3 | 0.8 | 32.4 | 32.4 | 33.6 | 34 | 34 |
| TOTALE | 34 | 310 | 31.4 | 1.9 | 24 | 30.3 | 31.5 | 32.3 | 37 |

| CLUSTER | Età media delle primipare | | | | | | | | |
|----------|---------------------------|-----|------|-----|-----|------|--------|------|------|
| | NMiss | N | Mean | Std | Min | P25 | Median | P75 | Max |
| A1 | 21 | 65 | 28.2 | 2.7 | 22 | 26 | 28 | 30.1 | 35 |
| A2 | 31 | 91 | 29 | 2.1 | 24 | 28 | 29.6 | 30.3 | 35 |
| A3 | 9 | 32 | 29.1 | 1.6 | 25 | 28 | 29.6 | 30.3 | 32 |
| B | 26 | 48 | 29.8 | 2.6 | 20 | 30 | 30.3 | 31 | 32 |
| C | 9 | 9 | 31.3 | 1.1 | 30 | 30.3 | 31.2 | 32 | 33.3 |
| Outliers | 0 | 3 | 30.9 | 2.5 | 28 | 28 | 32 | 32.6 | 32.6 |
| TOTALE | 96 | 248 | 29.1 | 2.4 | 20 | 28 | 29.8 | 30.8 | 35 |

| CLUSTER | Forma di assistenza in gravidanza - Ginecologo | | | | TOTALE |
|----------|--|------|-----|------|--------|
| | N.D. | | Si | | N |
| | N | % | N | % | |
| A1 | 5 | 5.8 | 81 | 94.2 | 86 |
| A2 | 7 | 5.7 | 115 | 94.3 | 122 |
| A3 | . | . | 41 | 100 | 41 |
| B | . | . | 74 | 100 | 74 |
| C | 3 | 16.7 | 15 | 83.3 | 18 |
| Outliers | . | . | 3 | 100 | 3 |
| TOTALE | 15 | 4.4 | 329 | 95.6 | 344 |

| CLUSTER | Forma di assistenza in gravidanza - Ostetrico | | | | | | TOTALE |
|----------|---|------|-----|------|----|------|--------|
| | N.D. | | Si | | No | | N |
| | N | % | N | % | N | % | |
| A1 | 9 | 10.5 | 68 | 79.1 | 9 | 10.5 | 86 |
| A2 | 12 | 9.8 | 94 | 77 | 16 | 13.1 | 122 |
| A3 | . | . | 36 | 87.8 | 5 | 12.2 | 41 |
| B | 2 | 2.7 | 65 | 87.8 | 7 | 9.5 | 74 |
| C | 6 | 33.3 | 10 | 55.6 | 2 | 11.1 | 18 |
| Outliers | . | . | 3 | 100 | . | . | 3 |
| TOTALE | 29 | 8.4 | 276 | 80.2 | 39 | 11.3 | 344 |

| | Forma di assistenza in gravidanza - Consultorio | | | | | | TOTALE |
|----------|---|------|-----|------|----|------|--------|
| | N.D. | | Si | | No | | |
| | N | % | N | % | N | % | N |
| CLUSTER | | | | | | | |
| A1 | 12 | 14 | 69 | 80.2 | 5 | 5.8 | 86 |
| A2 | 16 | 13.1 | 96 | 78.7 | 10 | 8.2 | 122 |
| A3 | 2 | 4.9 | 34 | 82.9 | 5 | 12.2 | 41 |
| B | 16 | 21.6 | 55 | 74.3 | 3 | 4.1 | 74 |
| C | 7 | 38.9 | 10 | 55.6 | 1 | 5.6 | 18 |
| Outliers | . | . | 1 | 33.3 | 2 | 66.7 | 3 |
| TOTALE | 53 | 15.4 | 265 | 77 | 26 | 7.6 | 344 |

| | Percentuale sul totale delle gravidanze delle patologie insorte in gravidanza | | | | | | | | |
|----------|---|-----|------|------|------|------|--------|------|------|
| | NMiss | N | Mean | Std | Min | P25 | Median | P75 | Max |
| CLUSTER | | | | | | | | | |
| A1 | 18 | 68 | 11.5 | 9.3 | 0 | 5 | 10 | 15.1 | 40.7 |
| A2 | 30 | 92 | 11.3 | 8.5 | 0.5 | 5 | 10 | 15 | 35 |
| A3 | 7 | 34 | 13.8 | 10.5 | 2 | 5.5 | 10 | 20 | 40 |
| B | 16 | 58 | 14.5 | 10.1 | 1.3 | 7 | 10 | 22 | 40 |
| C | 2 | 16 | 24 | 18.1 | 5 | 10 | 16.5 | 43 | 60 |
| Outliers | 0 | 3 | 27.8 | 15.5 | 11.3 | 11.3 | 30 | 42 | 42 |
| TOTALE | 73 | 271 | 13.3 | 10.6 | 0 | 5.2 | 10 | 19 | 60 |

| | Percentuale sul totale delle gravidanze delle patologie accertate preesistenti | | | | | | | | |
|----------|--|-----|------|------|-----|-----|--------|------|------|
| | NMiss | N | Mean | Std | Min | P25 | Median | P75 | Max |
| CLUSTER | | | | | | | | | |
| A1 | 20 | 66 | 6.2 | 6.1 | 0 | 2 | 4.3 | 8 | 25 |
| A2 | 40 | 82 | 5.6 | 4.5 | 0 | 2.5 | 5 | 6 | 25.5 |
| A3 | 11 | 30 | 5.7 | 5.5 | 0.4 | 2 | 5 | 7.5 | 27.7 |
| B | 26 | 48 | 6.9 | 5.5 | 0.5 | 2.6 | 5 | 10 | 20 |
| C | 6 | 12 | 13.4 | 15.9 | 0.5 | 3.6 | 10.3 | 16 | 60 |
| Outliers | 0 | 3 | 13.8 | 8.2 | 5 | 5 | 15 | 21.3 | 21.3 |
| TOTALE | 103 | 241 | 6.5 | 6.5 | 0 | 2.3 | 5 | 8.1 | 60 |

VARIABILI DERIVATE

| CLUSTER | Letti accreditati per medico in organico | | | | | | | | |
|----------|--|-----|------|-----|-----|-----|--------|-----|-----|
| | NMiss | N | Mean | Std | Min | P25 | Median | P75 | Max |
| A1 | 0 | 86 | 2.4 | 2.4 | 0.2 | 1.3 | 1.9 | 2.7 | 22 |
| A2 | 0 | 122 | 2.1 | 0.8 | 0 | 1.6 | 2 | 2.6 | 4.3 |
| A3 | 0 | 41 | 2.3 | 0.8 | 0 | 1.8 | 2.3 | 2.7 | 4.2 |
| B | 0 | 74 | 2.4 | 0.9 | 0.9 | 1.8 | 2.2 | 2.8 | 6.3 |
| C | 0 | 18 | 3 | 0.9 | 1.8 | 2.3 | 2.8 | 3.7 | 5.4 |
| Outliers | 0 | 3 | 3.2 | 1.1 | 2.2 | 2.2 | 2.9 | 4.4 | 4.4 |
| TOTALE | 0 | 344 | 2.3 | 1.4 | 0 | 1.6 | 2.1 | 2.8 | 22 |

| CLUSTER | Letti accreditati per ostetrico in organico | | | | | | | | |
|----------|---|-----|------|-----|-----|-----|--------|-----|-----|
| | NMiss | N | Mean | Std | Min | P25 | Median | P75 | Max |
| A1 | 0 | 86 | 2.1 | 2.4 | 0.3 | 1.2 | 1.7 | 2.4 | 22 |
| A2 | 0 | 122 | 2 | 1 | 0 | 1.4 | 1.9 | 2.4 | 9.5 |
| A3 | 0 | 41 | 2.1 | 0.9 | 0 | 1.6 | 2 | 2.7 | 3.8 |
| B | 0 | 74 | 2 | 1.2 | 0.6 | 1.2 | 1.8 | 2.4 | 8.8 |
| C | 0 | 18 | 1.4 | 0.7 | 0.6 | 0.9 | 1.3 | 1.8 | 3.1 |
| Outliers | 0 | 3 | 3 | 1.6 | 1.7 | 1.7 | 2.6 | 4.8 | 4.8 |
| TOTALE | 0 | 344 | 2 | 1.5 | 0 | 1.3 | 1.8 | 2.4 | 22 |

| CLUSTER | Parti/mese per medico in organico | | | | | | | | |
|----------|-----------------------------------|-----|------|-----|-----|------|--------|------|------|
| | NMiss | N | Mean | Std | Min | P25 | Median | P75 | Max |
| A1 | 0 | 86 | 4.7 | 3.7 | 0.7 | 2.9 | 4 | 5.7 | 31.6 |
| A2 | 0 | 122 | 6.4 | 2 | 1.9 | 5.1 | 6.3 | 7.5 | 17.5 |
| A3 | 0 | 41 | 9.3 | 2.2 | 5.3 | 7.7 | 9.3 | 10.7 | 14.3 |
| B | 0 | 74 | 8.3 | 3 | 1.8 | 6 | 8.3 | 9.7 | 16.9 |
| C | 0 | 18 | 14 | 5.9 | 7.1 | 11.1 | 12.9 | 14.7 | 33.3 |
| Outliers | 0 | 3 | 6.1 | 3.1 | 3 | 3 | 6 | 9.3 | 9.3 |
| TOTALE | 0 | 344 | 7.1 | 3.8 | 0.7 | 4.7 | 6.5 | 8.8 | 33.3 |

| CLUSTER | Cesarei/mese per medico in organico | | | | | | | | |
|----------|-------------------------------------|-----|------|-----|-----|-----|--------|-----|------|
| | NMiss | N | Mean | Std | Min | P25 | Median | P75 | Max |
| A1 | 6 | 80 | 2 | 1.4 | 0.2 | 1.1 | 1.6 | 2.3 | 8.7 |
| A2 | 2 | 120 | 2.5 | 1.2 | 0.9 | 1.7 | 2.3 | 3 | 10.4 |
| A3 | 0 | 41 | 3.2 | 1.3 | 1.5 | 2.2 | 2.9 | 3.8 | 7 |
| B | 4 | 70 | 2.6 | 1.1 | 1 | 1.8 | 2.4 | 3.3 | 6.6 |
| C | 1 | 17 | 4.5 | 2.3 | 1.8 | 3 | 3.7 | 5.6 | 10.8 |
| Outliers | 0 | 3 | 2 | 1 | 0.9 | 0.9 | 2.2 | 2.9 | 2.9 |
| TOTALE | 13 | 331 | 2.6 | 1.4 | 0.2 | 1.6 | 2.3 | 3.2 | 10.8 |

| CLUSTER | Parti/mese per ostetrico in organico | | | | | | | | |
|----------|--------------------------------------|-----|------|-----|-----|-----|--------|------|------|
| | NMiss | N | Mean | Std | Min | P25 | Median | P75 | Max |
| A1 | 0 | 86 | 4.1 | 3.5 | 0.5 | 2.5 | 3.5 | 4.9 | 31.6 |
| A2 | 0 | 122 | 6 | 2.2 | 2.1 | 4.5 | 5.6 | 7 | 14.2 |
| A3 | 0 | 41 | 8.6 | 3.7 | 4.2 | 6.4 | 7.7 | 9.5 | 25 |
| B | 0 | 74 | 6.8 | 3.3 | 2.6 | 4.6 | 5.8 | 7.9 | 20.8 |
| C | 0 | 18 | 6.3 | 2.7 | 2.7 | 4 | 5.4 | 8.3 | 11.1 |
| Outliers | 0 | 3 | 5.7 | 3.8 | 3.4 | 3.4 | 3.5 | 10.1 | 10.1 |
| TOTALE | 0 | 344 | 6 | 3.3 | 0.5 | 4 | 5.4 | 7.4 | 31.6 |

| CLUSTER | Cesarei/mese per ostetrico in organico | | | | | | | | |
|----------|--|-----|------|-----|-----|-----|--------|-----|-----|
| | NMiss | N | Mean | Std | Min | P25 | Median | P75 | Max |
| A1 | 6 | 80 | 1.8 | 1.4 | 0.1 | 0.8 | 1.6 | 2.3 | 8.7 |
| A2 | 2 | 120 | 2.4 | 1.4 | 0.5 | 1.5 | 2 | 2.9 | 7.4 |
| A3 | 0 | 41 | 3 | 1.7 | 0.7 | 1.9 | 2.4 | 3.3 | 8.3 |
| B | 4 | 70 | 2.3 | 1.5 | 0.5 | 1.3 | 1.7 | 3 | 8.2 |
| C | 1 | 17 | 2.1 | 1.2 | 0.5 | 1.5 | 1.7 | 2.8 | 5 |
| Outliers | 0 | 3 | 1.8 | 1.2 | 1 | 1 | 1.3 | 3.2 | 3.2 |
| TOTALE | 13 | 331 | 2.3 | 1.5 | 0.1 | 1.3 | 1.9 | 2.9 | 8.7 |

| CLUSTER | Percentuale cesarei | | | | | | | | |
|----------|---------------------|-----|------|------|------|------|--------|------|------|
| | NMiss | N | Mean | Std | Min | P25 | Median | P75 | Max |
| A1 | 6 | 80 | 44.7 | 17.4 | 4.1 | 31.1 | 44.5 | 55.7 | 81.4 |
| A2 | 2 | 120 | 39.2 | 13.3 | 15.8 | 30 | 37.5 | 49.1 | 77.1 |
| A3 | 0 | 41 | 34.8 | 12.5 | 16.7 | 25.2 | 33.6 | 40.1 | 71.7 |
| B | 4 | 70 | 33.1 | 13.2 | 14 | 24 | 28.8 | 39.5 | 85.2 |
| C | 1 | 17 | 32.8 | 9.2 | 14.7 | 28 | 32.5 | 42 | 46.9 |
| Outliers | 0 | 3 | 32.3 | 3.7 | 29.3 | 29.3 | 31.3 | 36.4 | 36.4 |
| TOTALE | 13 | 331 | 38.3 | 14.7 | 4.1 | 27.7 | 35.9 | 47.6 | 85.2 |

PAGINA BIANCA

GRAFICI













