

## BIBLIOGRAFIA

1. Jabri B, Kasarda DD, Green PH. Innate and adaptive immunity: the yin and yang of celiac disease. *Immunol Rev.* 2005;206:219-31.
2. Green PH, Cellier C.N Celiac disease. *N Engl J Med.* 2007;357:1731-43.
3. Hopper AD, Hadjivassiliou M, Butt S, Sanders DS. Adult coeliac disease. *BMJ.* 2007; 335:558-62.
4. Kagnoff MF. Celiac disease: pathogenesis of a model immunogenetic disease. *J Clin Invest.* 2007;117:41-9.
5. Sollid LM. Coeliac disease: dissecting a complex inflammatory disorder. *Nat Rev Immunol.* 2002;2:647-55.
6. Mustalahti K, Catassi C, Reunanen A, Fabiani E, Heier M, McMillan S, Murray L, Metzger MH, Gasparin M, Bravi E, Mäki M; Coeliac EU Cluster, Project Epidemiology. The prevalence of celiac disease in Europe: results of a centralized, international mass screening project. *Ann Med.* 2010;42:587-95.
7. Meresse B, Ripoché J, Heyman M, Cerf-Bensussan N. Celiac disease: from oral tolerance to intestinal inflammation, autoimmunity and lymphomagenesis. *Mucosal Immunol.* 2009;2:8-23.
8. Van Heel DA, West J. Recent advances in coeliac disease. *Gut.* 2006;55:1037-46.
9. D'Archivio M, Silano M, Fagnani C, Scazzocchio B, Nisticò L, Giovannini C, Vari' R, D'Ippolito C, Cotichini R, Stazi MA, De Vincenzi M. Clinical evolution of celiac disease in Italy 1982-2002. *J Clin Gastroenterol.* 2004;38:877-9.
10. West J, Logan RF, Hill PG, Khaw KT. The iceberg of celiac disease: what is below the waterline? *Clin Gastroenterol Hepatol.* 2007;5:59-62.
11. Cronin CC, Shanahan F. Exploring the iceberg - the spectrum of celiac disease. *Am J Gastroenterol.* 2003;98:518-20.
12. National Institutes of Health Consensus Development Conference Statement on Celiac Disease, June 28-30, 2004. *Gastroenterology.* 2005;128:S1-9.
13. McNeish AS, Harms HK, Rey J, Shmerling DH, Visakorpi JK, Walker-Smith JA. The diagnosis of coeliac disease. A commentary on the current practices of members of the European Society for Paediatric Gastroenterology and Nutrition (ESPGAN). *Arch Dis Child.* 1979;54:783-6.

14. Leffler DA, Schuppan D. Update on serologic testing in celiac disease. *Am J Gastroenterol.* 2010; 105:2520-4.
15. Foucher B, Johanet C, Jégo-Desplat S, Sanmarco M, Dubucquoi S, Fily-Nalewajk S, Olsson NO, Lakomy D, Escande A, Chrétien P, Fortenfant F, Chevailler A, André C, Goetz J, Humbel RL, Monier JC, Sibia J, Taillefer MF, Abreu I, Fabien N. Are Immunoglobulin A anti-gliadin antibodies of any help in the diagnosis of coeliac disease in children below 2 years-old? a French multicenter study. *J Pediatr Gastroenterol Nutr.* 2011 Aug 17.
16. Burgin-Wolff A, Dahlbom I, Hadziselimovic F, Petersson CJ. Antibodies against human tissue transglutaminase and endomysium in diagnosing and monitoring coeliac disease. *Scand J Gastroenterol.* 2002; 37:685-91.
17. Hill PG, McMillan SA Anti-tissue transglutaminase antibodies and their role in the investigation of coeliac disease *Ann Clin Biochem* 2006; 43:105-107.
18. Hill PG, Forsyth JM, Semeraro D, Holmes GK. IgA antibodies to human tissue transglutaminase: audit of routine practice confirms high diagnostic accuracy. *Scand J Gastroenterol.* 2004;39:1078-82.
19. Basso D, Guariso G, Fogar P, Meneghel A, Zambon CF, Navaglia F, Greco E, Schiavon S, Ruge M, Plebani M. Antibodies against synthetic deamidated gliadin peptides for celiac disease diagnosis and follow-up in children. *Clin Chem.* 2009 ;55:150-7.
20. Korponay-Szabó IR, Vecsei Z, Király R, Dahlbom I, Chirido F, Nemes E, Fésüs L, Mäki M. Deamidated gliadin peptides form epitopes that transglutaminase antibodies recognize. *J Pediatr Gastroenterol Nutr.* 2008;46:253-61.
21. Volta U, Granito A, Parisi C, Fabbri A, Fiorini E, Piscaglia M, Tovoli F, Grasso V, Muratori P, Pappas G, De Giorgio R. Deamidated gliadin peptide antibodies as a routine test for celiac disease: a prospective analysis. *J Clin Gastroenterol.* 2010; 44:186-90.
22. Karell K, Louka AS, Moodie SJ, Ascher H, Clot F, Greco L, Ciclitira PJ, Sollid LM, Partanen J; European Genetics Cluster on Celiac Disease. HLA types in celiac disease patients not carrying the DQA1\*05-DQB1\*02 (DQ2) heterodimer: results from the European Genetics Cluster on Celiac Disease. *Hum Immunol.* 2003 Apr;64(4):469-77.

23. Louka AS, Moodie SJ, Karell K, Bolognesi E, Ascher H, Greco L, Momigliano-Richiardi P, Partanen J, Ciclitira PJ, Sollid LM; European Genetics Cluster on Celiac Disease. A collaborative European search for non-DQA1\*05-DQB1\*02 celiac disease loci on HLA-DR3 haplotypes: analysis of transmission from homozygous parents. *Hum Immunol.* 2003 Mar;64(3):350-8.
24. Wolters VM, van de Nadort C, Gerritsen SA, Kneepkens CM, Ten Kate FJ, Gijsbers CF, Schweizer JJ, Nikkels PG, Benninga MA, Houwen RH. Is gluten challenge really necessary for the diagnosis of coeliac disease in children younger than age 2 years? *J Pediatr Gastroenterol Nutr.* 2009 May;48:566-70.
25. Catassi C, Fasano A. Celiac disease diagnosis: simple rules are better than complicated algorithms. *Am J Med.* 2010;123:691-3.
26. Ribes-Koninckx C, Mearin M, Korponay-Szabó I, Shamir R, Husby S, Ventura A, Branski D, Catassi C, Koletzko S, Mäki M, Troncone R, Zimmer K; The ESPGHAN Working Group on Coeliac Disease Diagnosis. Coeliac disease diagnosis: espghan 1990 Criteria or need for a change? Results of a questionnaire. *J Pediatr Gastroenterol Nutr.* 2011.
27. Silano M, Volta U, De Vincenzi A, Dessì M, De Vincenzi M; The Collaborating Centers of the Italian Registry of the Complications of Coeliac Disease. Effect of a Gluten-free Diet on the Risk of Enteropathy-associated T-cell Lymphoma in Celiac Disease. *Dig Dis Sci.* 2007 Oct 13.
28. Silano M, Volta U, Mecchia AM, Dessì M, Di Benedetto R, De Vincenzi M; Collaborating centers of the Italian registry of the complications of coeliac disease. Delayed diagnosis of coeliac disease increases cancer risk. *BMC Gastroenterol.* 2007;7:8.
29. Cosnes J, Cellier C, Viola S, Colombel JF, Michaud L, Sarles J, Hugot JP, Ginies JL, Dabadie A, Mouterde O, Allez M, Nion-Larmurier I; Groupe D'Etude et de Recherche sur la Maladie Coeliaque. Incidence of Autoimmune Diseases in Celiac Disease: Protective Effect of the Gluten-Free Diet. *Clin Gastroenterol Hepatol.* 2008
30. Catassi C, Bearzi I, Holmes GK. Association of celiac disease and intestinal lymphomas and other cancers. *Gastroenterology.* 2005;128:S79-86.
31. Schuppan D, Junker Y, Barisani D. Celiac disease: from pathogenesis to novel therapies. *Gastroenterology.* 2009;137:1912-33.

32. Di Pierro M, Lu R, Uzzau S, Wang W, Margaretten K, Pazzani C, Maimone F, Fasano A. Zonula occludens toxin structure-function analysis Identification of the fragment biologically active on tight junctions and of the zonulin receptor binding domain. *J Biol Chem.* 2001;276:19160-5.
33. Kelly CP, Green PH, Murray JA, et al. Intestinal permeability of larazotide acetate in celiac disease: results of a phase IIB 6-week gluten-challenge clinical trial (abstr). *Gastroenterology* 2009;136(Suppl 1):M2048.
34. Mitea C, Havenaar R, Drijfhout JW, Edens L, Dekking L, Koning F. Efficient degradation of gluten by a prolyl endoprotease in a gastrointestinal model: implications for coeliac disease. *Gut.* 2008;57:25-32. Epub 2007 May 9.
35. Sollid LM, Khosla C. Future therapeutic options for celiac disease. *Nat Clin Pract Gastroenterol Hepatol.* 2005;2:140-7.
36. Rizzello CG, De Angelis M, Di Cagno R, Camarca A, Silano M, Losito I, De Vincenzi M, De Bari MD, Palmisano F, Maurano F, Gianfrani C, Gobbetti M. Highly efficient gluten degradation by lactobacilli and fungal proteases during food processing: new perspectives for celiac disease. *Appl Environ Microbiol.*;73:4499-507.
37. Gass J, Bethune MT, Siegel M, et al. Combination enzyme therapy for gastric digestion of dietary gluten in patients with celiac sprue. *Gastroenterology* 2007;133:472-480.
38. Tye-Din JA, Stewart JA, Dromey JA, Beissbarth T, van Heel DA, Tatham A, Henderson K, Mannering SI, Gianfrani C, Jewell DP, Hill AV, McCluskey J, Rossjohn J, Anderson RP. Comprehensive, quantitative mapping of T cell epitopes in gluten in celiac disease. *Sci Transl Med.* 2010;2(41):41ra51.
39. Spaenij-Dekking L, Kooy-Winkelaar Y, van Veelen P, Drijfhout JW, Jonker H, van Soest L, Smulders MJ, Bosch D, Gilissen LJ, Koning F. Natural variation in toxicity of wheat: potential for selection of non-toxic varieties for celiac disease patients. *Gastroenterology.* 2005;129:797-806.
40. Silano M, Di Benedetto R, Maialetti F, De Vincenzi A, Calcaterra R, Trecca A, De Vincenzi M. A 10-residue peptide from durum wheat promotes a shift from a Th1-type response toward a Th2-type response in celiac disease. *Am J Clin Nutr.* 2008;87:415-23.

La presente Relazione è stata realizzata dalla  
Direzione Generale della Sicurezza degli Alimenti e della Nutrizione

*Direttore Generale: Dott. Silvio Borrello*

A cura di:

Ufficio V — Nutrizione

*Dott.ssa Simona De Stefano - Dirigente Chimico*

In collaborazione con:

*Dott. Marco Silano - Istituto Superiore di Sanità*

*Assessorati alla Sanità delle Regioni e Province Autonome di Trento e Bolzano*